

09/937,292

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID: ssspta1201txs

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

NEWS 1	Web Page URLs for STN Seminar Schedule - N. America	
NEWS 2	"Ask CAS" for self-help around the clock	
NEWS 3	May 12	EXTEND option available in structure searching
NEWS 4	May 12	Polymer links for the POLYLINK command completed in REGISTRY
NEWS 5	May 27	New UPM (Update Code Maximum) field for more efficient patent SDIs in CAplus
NEWS 6	May 27	CAplus super roles and document types searchable in REGISTRY
NEWS 7	Jun 28	Additional enzyme-catalyzed reactions added to CASREACT
NEWS 8	Jun 28	ANTE, AQUALINE, BIOENG, CIVILENG, ENVIROENG, MECHENG, and WATER from CSA now available on STN(R)
NEWS 9	Jul 12	BEILSTEIN enhanced with new display and select options, resulting in a closer connection to BABS
NEWS 10	Jul 30	BEILSTEIN on STN workshop to be held August 24 in conjunction with the 228th ACS National Meeting
NEWS 11	AUG 02	IFIPAT/IFIUDB/IFICDB reloaded with new search and display fields
NEWS 12	AUG 02	CAplus and CA patent records enhanced with European and Japan Patent Office Classifications
NEWS 13	AUG 02	STN User Update to be held August 22 in conjunction with the 228th ACS National Meeting
NEWS 14	AUG 02	The Analysis Edition of STN Express with Discover! (Version 7.01 for Windows) now available
NEWS 15	AUG 04	Pricing for the Save Answers for SciFinder Wizard within STN Express with Discover! will change September 1, 2004
NEWS 16	AUG 27	BIOCOMMERCE: Changes and enhancements to content coverage
NEWS 17	AUG 27	BIOTECHABS/BIOTECHDS: Two new display fields added for legal status data from INPADOC
NEWS EXPRESS	JULY 30 CURRENT WINDOWS VERSION IS V7.01, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004	
NEWS HOURS	STN Operating Hours Plus Help Desk Availability	
NEWS INTER	General Internet Information	
NEWS LOGIN	Welcome Banner and News Items	
NEWS PHONE	Direct Dial and Telecommunication Network Access to STN	
NEWS WWW	CAS World Wide Web Site (general information)	

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may

09/937,292

result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 16:18:43 ON 31 AUG 2004

FILE 'REGISTRY' ENTERED AT 16:18:50 ON 31 AUG 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 30 AUG 2004 HIGHEST RN 736108-36-4
DICTIONARY FILE UPDATES: 30 AUG 2004 HIGHEST RN 736108-36-4



TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>

=> Uploading C:\STNEXP4\QUERIES\09937292.str



chain nodes :

6 8 9 15 16 17 18 19 20 21

ring nodes :

1 2 3 4 5 10 11 12 13 14

chain bonds :

1-9 5-6 6-8 9-10 10-21 11-15 13-19 14-20 15-16 15-17 15-18

ring bonds :

09/937,292

1-2 1-5 2-3 3-4 4-5 10-11 10-14 11-12 12-13 13-14
exact/norm bonds :
1-5 1-9 4-5 5-6 6-8 9-10 15-16
exact bonds :
1-2 2-3 3-4 10-11 10-14 10-21 11-12 11-15 12-13 13-14 13-19 14-20 15-17
15-18
isolated ring systems :
containing 1 : 10 :

G1:O,S,Se

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 8:CLASS 9:CLASS 10:Atom 11:Atom
12:Atom 13:Atom 14:Atom 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS
20:CLASS 21:CLASS

L1 STRUCTURE uploaded

=> s 11
SAMPLE SEARCH INITIATED 16:19:06 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 0 TO 0
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s 11 ful
FULL SEARCH INITIATED 16:19:11 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 10 TO ITERATE

100.0% PROCESSED 10 ITERATIONS 10 ANSWERS
SEARCH TIME: 00.00.01

L3 10 SEA SSS FUL L1

=> file caplus
COST IN U.S. DOLLARS SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 155.42 155.63

FILE 'CAPLUS' ENTERED AT 16:19:20 ON 31 AUG 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

09/937,292

The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 31 Aug 2004 VOL 141 ISS 10
FILE LAST UPDATED: 30 Aug 2004 (20040830/ED)


This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13
L4 3 L3

=> d 14 ibib hitstr abs 1-3

L4 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2002:73531 CAPLUS
DOCUMENT NUMBER: 136:232485
TITLE: Direct assignment of the absolute configuration of a distinct class of deoxyribonucleoside cyclic N-acylphosphoramidites at phosphorus by M-GOESY nuclear magnetic resonance spectroscopy
AUTHOR(S): Wilk, Andrzej; Grajkowski, Andrzej; Bull, Thomas E.; Dixon, Ann M.; Freedberg, Daron I.; Beauchage, Serge L.
CORPORATE SOURCE: Division of Therapeutic Proteins and Division of Bacterial, Parasitic & Allergenic Products, Center for Biologics Evaluation and Research, Food and Drug Administration, Bethesda, MD, 20892, USA
SOURCE: Journal of the American Chemical Society (2002), 124(7), 1180-1181
CODEN: JACSAT; ISSN: 0002-7863
PUBLISHER: American Chemical Society
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 136:232485
IT 403651-75-2P 403651-76-3P
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(direct assignment of absolute configuration of distinct class of deoxyribonucleoside cyclic N-acylphosphoramidites at phosphorus by GOESY NMR spectroscopy)
RN 403651-75-2 CAPLUS
CN Adenosine, N-benzoyl-5'-O-[bis(4-methoxyphenyl)phenylmethyl]-2'-deoxy-3'-O-[(2R,5R)-3-(methoxyacetyl)-5-phenyl-1,3,2-oxazaphospholidin-2-yl]-(9CI)
(CA INDEX NAME)


Absolute stereochemistry.



RN 403651-76-3 CAPLUS

CN Adenosine, N-benzoyl-5'-O-[bis(4-methoxyphenyl)phenylmethyl]-2'-deoxy-3'-O-[(2S,5S)-3-(methoxyacetyl)-5-phenyl-1,3,2-oxazaphospholidin-2-yl]- (9CI)
(CA INDEX NAME)

Absolute stereochemistry.



AB The determination of the absolute configuration of deoxyribonucleoside cyclic N-acylphosphoramidites at phosphorus toward the synthesis of P-stereodefined phosphorothioated oligodeoxyribonucleotides is easily accomplished with computer-assisted mol. modeling and M-GOESY NMR spectroscopy. Specifically, computer-modeling diastereomeric phosphoramidite 3 has identified a proximal (2.55 Å) through-space interaction between benzylic H-5 and sugar H-2'', which can predictably be detected by M-GOESY NMR in SP-3 but not in RP-3 because of being too

distant (5.85 Å). Consistent with computer-assisted modeling predictions, M-GOESY NMR spectra of SP-3 and RP-3 revealed NOE signals generated from nuclei near the selectively excited H-2'' that are common to both SP-3 and RP-3, namely those of H-2', H-4', H-3', and H-1'. In addition, a diagnostic NOE signal at 5.5 ppm (benzylic H-5) is, as predicted, only detected in SP-3 and thus provides an unequivocal assessment of the configuration of the diastereomer at phosphorus. M-GOESY NMR data also confirm that the condensation of deoxyribonucleoside cyclic N-acylphosphoramidites with base-activated nucleosidic or nucleotidic 5'-hydroxyls proceeds via a single nucleophilic event.

REFERENCE COUNT: 21 THERE ARE 21 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 2001:851807 CAPLUS
 DOCUMENT NUMBER: 135:371960
 TITLE: Solid phase synthesis of oligonucleotides using thermo-labile phosphorus protecting groups
 INVENTOR(S): Beaucage, Serge L.; Wilk, Andrzej; Grajkowski, Andrzej
 PATENT ASSIGNEE(S): The United States of America as Represented by the Department of Health and Human Services, USA
 SOURCE: U.S. Pat. Appl. Publ., 42 pp., Cont.-in-part of Appl. No. PCT/US00/04032.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2001044529	A1	20011122	US 2001-792799	20010223
US 6762298	B2	20040713		
WO 2000056749	A1	20000928	WO 2000-US4032	20000216
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				

PRIORITY APPLN. INFO.: US 1999-125867P / P 19990324
 WO 2000-US4032 A2 20000216

IT 373602-58-5 373602-59-6 373602-60-9


373602-61-0

RL: RCT (Reactant); RACT (Reactant or reagent)
 (solid phase synthesis of oligonucleotides using thermo-labile phosphorus protecting groups)

RN 373602-58-5 CAPLUS

CN Thymidine, 5'-O-[bis(4-methoxyphenyl)phenylmethyl]-3'-O-[3-(fluoroacetyl)-5-phenyl-1,3,2-oxazaphospholidin-2-yl] - (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 373602-59-6 CAPLUS

CN Cytidine, N-benzoyl-5'-O-[bis(4-methoxyphenyl)phenylmethyl]-2'-deoxy-3'-O-[(2S)-3-(fluoroacetyl)-5-phenyl-1,3,2-oxazaphospholidin-2-yl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 373602-60-9 CAPLUS

CN Cytidine, N-benzoyl-5'-O-[bis(4-methoxyphenyl)phenylmethyl]-2'-deoxy-3'-O-[(2R)-3-(fluoroacetyl)-5-phenyl-1,3,2-oxazaphospholidin-2-yl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.





RN 373602-61-0 CAPLUS

CN Thymidine, 5'-O-[bis(4-methoxyphenyl)phenylmethyl]-3'-O-[(2S)-3-(fluoroacetyl)-5-phenyl-1,3,2-oxazaphospholidin-2-yl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



GI



AB The invention provides a method of thermally de-protecting the internucleosidic phosphorus linkage of an oligonucleotide I wherein R is H or a thermolabile protecting group; R1 and R4 are independently H or hydroxyl protecting group; Q and Q1 are independently a nucleoside, oligonucleotide; X1 is O, S, Se, which method comprises heating in a fluid medium at a substantially neutral pH. The present invention further provides a method of synthesizing an oligonucleotide using the thermal deprotection method and novel oligonucleotides and intermediates that incorporate the thermo-labile protecting group used in accordance with the present invention. Thus, oxazaphospholane II was prepared and used in synthesis of oligonucleotides such as TPOT.

REFERENCE COUNT: 128 THERE ARE 128 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2000:125936 CAPLUS

DOCUMENT NUMBER: 132:308590

TITLE: Deoxyribonucleoside Cyclic N-Acylphosphoramidites as a New Class of Monomers for the Stereocontrolled Synthesis of Oligothymidylyl- and Oligodeoxycytidylyl-Phosphorothioates

AUTHOR(S): Wilk, Andrzej; Grajkowski, Andrzej; Phillips, Lawrence R.; Beaucage, Serge L.

CORPORATE SOURCE: Division of Therapeutic Proteins Center for Biologics Evaluation and Research, Food and Drug Administration, Bethesda, MD, 20892, USA

SOURCE: Journal of the American Chemical Society (2000), 122(10), 2149-2156

PUBLISHER: American Chemical Society
DOCUMENT TYPE: Journal
LANGUAGE: English

IT 264881-16-5P 264881-45-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of deoxyribonucleoside cyclic N-acylphosphoramidites as a new class of monomers for the stereocontrolled synthesis of oligothymidylyl and oligodeoxycytidylyl phosphorothioates)


RN 264881-16-5 CAPLUS

CN Cytidine, N-benzoyl-5'-O-[bis(4-methoxyphenyl)phenylmethyl]-2'-deoxy-3'-O-[(2R,5R)-3-(fluoroacetyl)-5-phenyl-1,3,2-oxazaphospholidin-2-yl] - (9CI)

09/937,292

(CA INDEX NAME)


Absolute stereochemistry.



RN 264881-45-0 CAPLUS

CN Cytidine, N-benzoyl-5'-O-[bis(4-methoxyphenyl)phenylmethyl]-2'-deoxy-3'-O-[(2S,5S)-3-(fluoroacetyl)-5-phenyl-1,3,2-oxazaphospholidin-2'-yl]- (9CI)
(CA INDEX NAME)

Absolute stereochemistry.



IT 264881-44-9P 264881-50-7P

RL: SPN (Synthetic preparation); PREP (Preparation)


(preparation of deoxyribonucleoside cyclic N-acylphosphoramidites as a new class of monomers for the stereocontrolled synthesis of oligothymidylyl and oligodeoxycytidylyl phosphorothioates)

09/937,292

RN 264881-44-9 CAPLUS

CN Thymidine, 5'-O-[bis(4-methoxyphenyl)phenylmethyl]-3'-O-[(2R,5R)-3-(fluoroacetyl)-5-phenyl-1,3,2-oxazaphospholidin-2-yl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.




RN 264881-50-7 CAPLUS

CN Thymidine, 5'-O-[bis(4-methoxyphenyl)phenylmethyl]-3'-O-[(2S,5S)-3-(fluoroacetyl)-5-phenyl-1,3,2-oxazaphospholidin-2-yl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



GI



AB A simple and straightforward synthesis of pyrimidine 2'-deoxyribonucleoside cyclic N-acylphosphoramidites I is described. Specifically, (\pm)-2-amino-1-phenylethanol was chemoselectively N-acylated by treatment with Et₂O fluoroacetate followed by reaction with hexaethylphosphorus triamide to afford the cyclic N-acylphosphoramidite as a mixture of diastereomeric rotamers. Condensation of N4-benzoyl-5'-O-(4,4'-dimethoxytrityl)-2'-deoxycytidine with the cyclic N-acylphosphoramidite in the presence of 1H-tetrazole gave, after silica gel chromatog., pure (R)- and (S)-I. ³¹P NMR studies indicated that when (R)- or (S)-I is reacted with 3'-O-acetylthymidine and N,N,N',N'-tetramethylguanidine in CD₃CN, the dinucleoside phosphotriester is formed in near quant. yield with total P-stereospecificity (δ P 144.2 or 143.9 ppm). Sulfurization generated the P-stereodefined dinucleoside phosphorothioate (δ P 71.0 or 71.2 ppm). The 2'-deoxycytidine cyclic N-acylphosphoramidite derivs. (R)- and (S)-I were subsequently applied to the solid-phase synthesis of [Rp,Rp]- and [Sp,Sp]-trideoxycytidyl diphosphorothioate d(CpsCpsC), and [Rp,Sp,Rp]-tetradeoxyxytidyl triphosphorothioate d(CpsCpsCpsC). Following deprotection, reversed-phase (RP) HPLC anal. of these oligonucleotide analogs showed a single peak for each oligomer. By comparison, RP-HPLC anal. of purified P-diastereomeric d(CpSCpSC) and d(CpSCpSCpSC) prepared from standard 2-cyanoethyl deoxyribonucleoside phosphoramidites exhibited 4 and 8 peaks, resp., each peak corresponding to a specific P-diastereomer. The thymidine cyclic N-acylphosphoramidite derivs. were also prepared, purified, and used successfully in the solid-phase synthesis of [Rp]11-d[(TpS)11T]. Thus, the application of deoxyribonucleoside cyclic N-acyl phosphoramidites to P-stereocontrolled synthesis of oligodeoxyribonucleoside phosphorothioates may offer a compelling alternative to the methods currently used for such syntheses.

REFERENCE COUNT: 51 THERE ARE 51 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log y
COST IN U.S. DOLLARS

SINCE FILE ENTRY	TOTAL SESSION
14.72	170.35

FULL ESTIMATED COST

SINCE FILE ENTRY	TOTAL SESSION
---------------------	------------------

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

09/937,292

CA SUBSCRIBER PRICE -2.10 -2.10

STN INTERNATIONAL LOGOFF AT 16:19:47 ON 31 AUG 2004